RESOLUTION 2020-048

AUTHORIZING THE PURCHASE OF ONE DUMP TRUCK THROUGH RUSH TRUCK CENTER BASED ON THE STATE BID CONTRACT PRICE IN AN AMOUNT NOT TO EXCEED \$148,054.

WHEREAS, the City of DeKalb is a home rule unit as defined in Article VII, Section 6(a) of the 1970 Illinois Constitution and has jurisdiction over matters pertaining to its government and affairs; and

WHEREAS, it is in the best interest of the City to purchase vehicles and equipment for the Public Works Department; and

NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF DEKALB, ILLINOIS:

SECTION 1: That the City Council of the City of DeKalb hereby authorizes the Mayor to enter into a purchase agreement on terms and conditions acceptable to him with Rush Truck Center to purchase one new single axle dump truck including equipment in an amount not to exceed the State bid contract price of \$148,054. The City's corporate authorities further authorize, approve and direct City staff to take all actions necessary to equip said vehicle for street division purposes, provided that any costs or expenses to be incurred within the present budget year are within the scope of the then approved budget.

SECTION 2: That the City Clerk or the Executive Assistant of the City of DeKalb, Illinois be authorized and directed to attest the Mayor's Signature and shall be effective thereupon.

PASSED BY THE CITY COUNCIL of the City of DeKalb, Illinois, at a Regular meeting thereof held on the 26th day of May 2020 and approved by me as Mayor on the same day. Passed by a 7-0-1 roll call vote. Aye: Morris, Finucane, Smith, Perkins, McAdams, Verbic, Mayor Smith. Nay: None. Absent: Faivre.

ATTEST:

RUTH A. SCOTT, Executive Assistant

JERRY SMITH, Mayor

PASSED: MAY 26, 2020



200 South Fourth Street
DeKalb, Illinois 60115
815.748.2000 • cityofdekalb.com

May 27, 2020

Mr. Dave Mueller

Rush Truck Center, Springfield

3441 Gatlin Drive

Springfield, IL 62707

217-523-5631

This letter serves as our intent to purchase the truck as stated on the attached Retail Sales Order, dated 04/14/2020 in the amount of \$148,054.00 from Rush Truck Center.

Please deliver our truck to Matt Hazelwood at Bonnell Industries Inc, 1385 Franklin Grove Road, Dixon IL 61201. The invoice for the truck can be sent directly to our Public Works office. City of DeKalb/ Public Works, 1316 Market Street, DeKalb IL, 60115.

Please feel free to contact our office with any questions or concerns regarding this order. Our office phone number is 815-748-2040.

Thank You.

Andy Raih

Director: Streets & Facilities



™ Rush Truck Center, Springfield 3441 Gatlin Dr

Springfield, IL 62707 (217) 523-5631

rushtruckcenters.com

Retail Sales Order

SALES	ORDER			Date 04/14/20:	20 1
Please	enter my order for the following:			CITY OF DEKALB	··
☑ New ☐ Used	E) F.E.T. Applicable I F.E.T. Exempt		Customer's Name 200 S. 4TH STREET #B DEKALB	IL 60115	
Make	International		HV607	Street City	State Zip
Year	2021	Body Type	REFERENCED BELOW	(615) 739-02: Federal Tax ID # Rusiness Phone	
Color	ORANGE #0311	Trim	STANDARD	Federal Tax ID # Business Phone	Fax
Serial #				Purchaser's Name	
Stock #					
	livered on or about			Street City	State Zip
QUAN	TITY 1 of 2			Federal Tax (D # Business Phone	Fax
OTATE				David Mueller	
	CONTRACT # 19416CMS BO			By Salesman	
WAS U	SED TO PRICE THE FOLLOWING	EQUIPMENT		Truck Will be Titled in De Kalb	
				Truck valide Titled in	County.
	CHASSIS SPECIFICATIONS A			LIENHOLDER INFORMATION	
SALES	PROPOSAL # 15259 DATED	0 04/13/2020		Date of Lien	
DOC:	A 1 (A)			Lien Holder	
_	& MOUNTED EQUIPMENT A				
	ELL INDUSTRIES QUOTE #	0141116			
	04/14/2020				
Sales			147,732.00		
	y Paid F.E.T.		0.00		
	Tire Credit		0.00	Draft Through	
-	actory Paid F.E.T.		0.00		
Option	al Extended Warranties		0.00		
Sub-T	otal		147,732.00		
				Manufacturer Repate	
Deale	Paid F.E.T. *		0.00	Total Used Vehicle Allowance *	0.00
Local			0.00	Less Total Balance Owed	0.00
	e, Transfer, Title, Registration	n Fee	158.00	Total Net Allowance on Used Vehicle(s)	0.00
Docur	nentary Fee		164,00	Deposit or Credit Balance	0.00
Total	Cash Delivered Price		148,054.00	Cash with Order	0.00
	Down Payment		0.00	<	. 0.00
Unpai	d Cash Balance Due on Deliv	егу	148,054.00	*See Trade-in details on page 4	
A DOCUMENTARY FEE IS NOT AN OFFICIAL FEE, A DOCUMENTARY FEE IS NOT REQUIRED BY LAW, BUT MAY BE CHARGED TO CUSTOMERS FOR HANDLING DOCUMENTS RELATING TO THE SALE. A DOCUMENTARY FEE MAY NOT EXCEED A REASONABLE AMOUNT AGREED TO BY BAD THE THIS CHARGED BY LAW.				described above upon the Terms, and Conditions of acknowledges that Customer has read the Terms and Page 2 and has received a true copy of this Order and t	ontained herein, Customer Conditions of this Order on
	*SUBJECT TO ADJUSTMENT - FINAL F.E.T, MAY VARY,			OFFER RECEIVED BY: Dand Much SALES REPRESENTATIVE	/2 04-14-2020 /E Date
NOTICE:	THE FOLLOWING ARE IMPORTANT PR	OVISIONS OF T	es order	Part 1	05/29/2020
HEREOF THE AGE	DER CANCELS AND SUPERCEDES ANY COMPRISES THE COMPLETE AND I EEMENT BETWEEN THE PARTIES,	exclusive sta	ATEMENT OF THE TERMS OF	OFFER ACCEPTED BY: AUTHORIZED REPRESENTA	
CUSTOM	EPRESENTATIONS, SPECIFICATIONS O ER, THEY MUST BE IN WRITING AND I DRDER; OTHERWISE, THEY WILL NOT	SPECIFICALLY	DENTIFIED AND REFERENCED		
THERE A	RE ARE NO UNWRITTEN ORAL AGREEMENTS BETWEEN THE PARTIES.				



Rush Truck Center, Springfield 3441 Gatlin Dr Springfield, IL 62707 (217) 523-5631

Retail Sales Order

rushtruckcenters.com

- 1. Parties to Order; Definitions. As used in this Retail Sales Order ("Order"), the terms: (a) "Dealer" shall mean the Rush Dealer identified at the top of the first page of this Order; (c) "Manufacturer(s)" shall mean the entity or entities that manufactured the Product(s), it being understood by Customer that Dealer is in no respect the agent of Manufacturer(s); and (d) "Product(s)" shall mean the new and/or used vehicle or other components, accessories or products, which are being purchased by Customer, as set forth in this Order.
 - 2. WARRANTY DISCLAIMERS AND LIMITATIONS
- NEW PRODUCTS MANUFACTURER WARRANTIES ONLY. Any warranties on any new Product(s) sold under this Order are limited only to any printed Manufacturers' warranties delivered to Customer with the Product(s). EXCEPT FOR ANY SUCH WARRANTIES MADE BY MANUFACTURERS, THE PRODUCT(S) ARE SOLD WITHOUT ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EACH OF WHICH IS EXPRESSLY DISCLAIMED.
- USED PRODUCTS -- NO WARRANTIES. All used Product(s) sold under this Order are sold on an "AS IS, WHERE IS" basis, without any warranties by Dealer, provided that Products that are sold by Dealer as "Certified Pre-Owned" are subject to the express written terms and conditions of the Dealer's certified pre-owned program. EXCEPT FOR ANY MANUFACTURERS' WARRANTIES THAT MAY STILL BE IN EFFECT, ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE EXPRESSLY DISCLAIMED.
- LIMITED WARRANTY ON SERVICES. Dealer warrants that all services performed by Dealer for Customer in conjunction with the sale of the Product(s), including if applicable installation, upfitting and conversion services ("Services"), will be performed in a good and workmanlike manner ("Services Warranty"). The Services Warranty is valid for a period of ninety (90) days from the date the Product(s) is delivered to Customer. Customer's sole and exclusive remedy, and Dealer's entire liability, under the Services Warranty is the repair of any nonconforming portion of the Services. DEALER PROVIDES NO OTHER WARRANTIES, EXPRESS OR IMPLED, CONCERNING IT'S SERVICES. The Services Warranty is strictly limited to Services performed by Dealer for Customer. Dealer does not warrant any services provided by any third-party, including but not limited to installation, upfitting or conversion services. Any warranties are solely those that are provided by the third-party service provider.
 - NO OTHER WARRANTIES. EXCEPT AS SET FORTH ABOVE, DEALER EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED.
- 3 Reappraisal of Trade-in Vehicle. If the motor vehicle which has been traded in ("Trade-in Vehicle") as a part of the consideration for the Product(s) ordered hereunder is not to be delivered to Dealer until delivery to Customer of the Product(s), the Trade-in Vehicle shall be reappraised at that time and such reappraised value shall determine the allowance made for the Trade-in Vehicle. If the reappraised value is lower than the original allowance shown on the front of this Order, Customer may, if dissatisfied, cancel this Order.
- 4 Delivery of Trade-in Vehicle by Customer; Customer Warranty of Title. Customer agrees to deliver to Dealer satisfactory evidence of title to the Trade-in Vehicle at the time of delivery of the Trade-in Vehicle to Dealer. Customer warrants the Trade-in Vehicle to be Customer's property free and clear of all liens and encumbrances.
- 5 Delay or Failure in Delivery; Limitation of Dealer Liability. Dealer shall not be liable for failure to deliver or delay in delivering any Product(s) covered by this Order where such failure or delay is due, in whole or in part, to any cause beyond the reasonable control, or is without the gross negligence or intentional misconduct, of Dealer. Examples of causes beyond Dealer's reasonable control include, but are not limited to, Manufacturers' delay or failure to deliver Product(s) for any reason, earthquake, hurricane or other natural disaste, fire, war, terrorist act, labor dispute, strike, etc.
- 6 Liability for Taxes. The price for the Product(s) specified on the face of this Order includes reimbursement to Dealer for federal excise taxes paid, but does not include sales or use taxes or occupational taxes based on sales volume (federal, state or local) unless expressly so stated. Customer assumes and agrees to pay, unless prohibited by law, any such sales or use or occupational taxes imposed on or applicable to the transaction covered by this Order, regardless of which party may have primary tax liability thereof.
 - 7 Customer's Deposit. Any Customer's deposit, whether cash or Trade-in Vehicle, shall not be refunded except due to Dealer's failure to deliver the Product(s).
- 8 Risk of Loss; Insurance. Customer shall assume all risk of loss relating to the Product(s) at the time Customer receives possession of the Product(s), or at the time Customer receives title to the Product(s) if title is conveyed before Customer receives possession. Customer shall obtain insurance for the Product(s) that will be in effect at the time Customer takes possession of the Product(s), or at the time Customer receives title to the Product(s) if title is conveyed before the Customer receives possession. Dealer shall have no responsibility or liability related to the Product(s) after Customer receives either possession or title to the Product(s).
- 9 Governing Law; Venue; Time to Commence Action. Except to the extent that the laws of the United States may apply or otherwise control this Order, the rights and obligations of the parties hereunder shall be governed by, and construed and interpreted in accordance with, the laws of the state in which Dealer is located, without regard to conflict of law principles. The mandatory venue for any claim, litigation, civil action or any other legal or administrative proceeding ("Action") involving any controversy or claim between or among the parties to this Order, is the state in which Dealer is located. Customer has one (1) year from the accrual of any cause of action arising from the purchase of the Product(s) to commence an Action against Dealer.
- 1). Limitation of Damages, Customer agrees that in the event of any Action brought by Customer against Dealer, Customer shall not be entitled to recover any incidental or consequential damages as defined in the Uniform Commercial Code, including but not limited to indirect or special damages, loss of income or anticipated profits, or down-time, or any puritive damages.
- 11. Fees and Expenses of Actions. In any Action, whether initiated by Dealer or Customer, where the Customer has a right, pursuant to statute, common law or otherwise, to recover reasonable attorneys' fees and costs in the event it prevails. Customer agrees that Dealer shall have the same right to recover reasonable attorneys' fees and costs incurred in connection with the Action in the event that Dealer prevails.
- 12. Execution and Delivery by Electronic Transmission. If this Order or any document executed in connection with this Order is delivered by facsimile, email or similar instantaneous electronic transmission device pursuant to which the signature of or on behalf of such party can be seen, such execution and delivery shall be considered valid, binding and effective for all purposes as an original document. Additionally, the signature of any party on this Order transmitted by way of a facsimile machine or email abali be considered for all purposes as an original signature. Any such faxed or emailed document shall be considered to have the same binding legal effect as an original document. At the request of Dealer, any faxed or emailed document shall be re-executed by Customer in an original form.
- 13. Waiver; Severability. No waiver of any term of this Order shall be valid unless it is in writing and signed by Dealer's authorized representative. If any provision or part of any provision of this Order shall be deemed to violate any applicable law or regulation, such invalid provision or part of a provision shall be inapplicable, BUT the remaining part of that provision and the remainder of the Order shall continue to be binding and enforceable.
- 4. No Broker; Manufacturer Incentives. If at any time Dealer determines that the Customer intends to engage in the resale of vehicles for profit, where such resale is not in conjunction with further manufacturing. Dealer reserves the right to cancel this Order. Certain manufacturer incentives are Intended to be used for retail customers at the location as identified by the Customer in this Order. Customer represents that they will register the vehicle with their state motor vehicle department and are not purchasing this vehicle with the Intent to reself/export the vehicle, except where such resale is in conjunction with further manufacturing. If at any time Dealer determines that the foregoing representations are not true, Dealer has the right to seek repayment of any manufacturer incentives that are paid.
- 5. Communication Consent. Dealer and any other owner or servicer of this account may use any information Customer gives Dealer, including but not limited to small addresses, cell phone numbers, and landline numbers, to contact Customer for purposes related to this account, including debt collection and marketing purposes. In addition, Customer expressly consents to any such contact being made by the most efficient technology available, including but not limited to, automated dialing equipment, automated messages, and greencorded messages, even if Customer is charged for the contact.

Customer Initial




INTERNATIONAL® April 13, 2020

Prepared For: City of DeKalb ANDY RAIH 200 S 4th St. Dekalb, IL 60115-3720 (815)748 - 2040 Reference ID: STATE CONTRACT

Presented By: RUSH TRK CTR OF N IL David R Mueller 4655 S CENTRAL AVE. CHICAGO IL 606381547 708-496-7500

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile 2021 HV607 SBA (HV607)

AXLE CONFIG:

MISSION:

DIMENSION:

ENGINE, DIESEL:

TRANSMISSION, AUTOMATIC:

CLUTCH: AXLE, FRONT NON-DRIVING:

AXLE, REAR, SINGLE: CAB:

TIRE, FRONT: TIRE, REAR:

SUSPENSION, REAR, SINGLE:

PAINT:

4X2

Requested GVWR: 39000. Calc. GVWR: 39000

Wheelbase: 163.00, CA: 95.90, Axle to Frame: 67.00

{Cummins L9 300} EPA 2017, 300HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM

Governed Speed, 300 Peak HP (Max)

PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max.

On/Off Highway

Omit Item (Clutch & Control)

{Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity

{Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends Gear Ratio: 6.43

(Allison 3000 RDS) 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with

Conventional, Day Cab

(2) 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position

(4) 11R22.5 Load Range G HDR2 (CONTINENTAL), 491 rev/mile, 75 MPH, Drive

31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs

Cab schematic 100WL

Location 1: 0311, Omaha Orange (Std)

Chassis schematic N/A

Description

Base Chassis, Model HV607 SBA with 163.00 Wheelbase, 95.90 CA, and 67.00 Axle to Frame.

TOW HOOK, FRONT (2) Frame Mounted

AXLE CONFIGURATION (Navistar) 4x2

FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.437" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL

BUMPER, FRONT Swept Back, Steel, Heavy Duty

FRAME EXTENSION, FRONT Integral; 20" In Front of Grille

WHEELBASE RANGE 138" (350cm) Through and Including 187" (475cm)

AXLE, FRONT NON-DRIVING {Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity

SHOCK ABSORBERS, FRONT

SPRINGS, FRONT AUXILIARY Rubber

SUSPENSION, FRONT, SPRING Multileaf, Shackle Type, 16,000-lb Capacity, Less Shock Absorbers

BRAKE SYSTEM, AIR Dual System for Straight Truck Applications

BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 Sqln Long Stroke Brake Chambers

DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank

AIR BRAKE ABS (Bendix AntiLock Brake System) 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System

AIR DRYER (Bendix AD-IP) with Heater

BRAKE CHAMBERS, REAR AXLE (Bendix EverSure) 30/30 Spring Brake

BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 Sqln

BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake

AIR COMPRESSOR (Cummins) 18.7 CFM

AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab

AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail

DUST SHIELDS, FRONT BRAKE for Air Cam Brakes

DUST SHIELDS, REAR BRAKE for Air Cam Brakes

STEERING COLUMN Tilting and Telescoping

STEERING WHEEL 4-Spoke; 18" Dia., Black

STEERING GEAR (2) {Sheppard M100/M80} Dual Power

DRIVELINE SYSTEM (Dana Spicer) SPL140, for 4x2/6x2

AFTERTREATMENT COVER Steel, Black

EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab

2

TAIL PIPE (1) Turnback Type

MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel

EXHAUST HEIGHT 10'

ELECTRICAL SYSTEM 12-Volt, Standard Equipment

Description

CIGAR LIGHTER Includes Ash Cup

ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, with Remote Sense

BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn

BATTERY SYSTEM (Fleetrite) Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud

SPEAKERS (2) 6.5" Dual Cone Mounted in Doors

RADIO AM/FM/WB/Clock/USB Input/Auxiliary Input

AUXILIARY HARNESS 5.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications

HORN, ELECTRIC Disc Style

BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab

JUMP START STUD Remote Mounted

CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade

STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection

INDICATOR, LOW COOLANT LEVEL with Audible Alarm

CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses

TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender

HORN, AIR Black, Single Trumpet, with Lanyard Pull Cord

FENDER EXTENSIONS Rubber

LOGOS EXTERIOR Model Badges

LOGOS EXTERIOR, ENGINE Badges

GRILLE Stationary, Chrome

FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV

PAINT SCHEMATIC, PT-1 Single Color, Design 100

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

PROMOTIONAL PACKAGE Government Silver Package

CLUTCH Omit Item (Clutch & Control)

ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection

BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines

ENGINE, DIESEL (Cummins L9 300) EPA 2017, 300HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)

3

FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed

RADIATOR Cross Flow, Series System; 1228 Sqln Aluminum Radiator Core and 1167 Sqln Charge Air Cooler

AIR CLEANER Dual Element, with Integral Snow Valve and In-Cab Control

FEDERAL EMISSIONS (Cummins L9) EPA, OBD and GHG Certified for Calendar Year 2020

THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel

FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)

Description

EMISSION COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations

ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; with Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines

TRANSMISSION, AUTOMATIC (Allison 3000 RDS) 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway

OIL COOLER, AUTO TRANSMISSION (Modine) Water to Oil Type

TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter

TRANSMISSION DIPSTICK Relocated to Right Side of Transmission

TRANSMISSION OIL Synthetic; 29 thru 42 Pints

ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction

NEUTRAL AT STOP OMIT

TRANSMISSION TCM LOCATION Located Inside Cab

SHIFT CONTROL PARAMETERS (Allison) 3000 or 4000 Series Transmissions, Performance Programming

PTO LOCATION Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission

AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends . Gear Ratio: 6.43

SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs

DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab

FUEL/WATER SEPARATOR {Racor 400 Series,} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor

LOCATION FUEL/WATER SEPARATOR Mounted Inside Left Rail, 24" Back of Cab

FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab

CAB Conventional, Day Cab

AIR CONDITIONER with Integral Heater and Defroster

GAUGE CLUSTER Base Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display

GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission

GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel

IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster

SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust

GRAB HANDLE, EXTERIOR Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left Side at B-Pillar

SEAT, PASSENGER (National) Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth

MIRRORS (2) C-Loop, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width

CAB INTERIOR TRIM Classic, for Day Cab

ARM REST, RIGHT, DRIVER SEAT

WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature

FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood

INTERNATIONAL®

Vehicle Specifications 2021 HV607 SBA (HV607)

April 13, 2020

Description

CAB REAR SUSPENSION Air Bag Type

MIRROR, CONVEX, HOOD MOUNTED (Lang Mekra) (2) Right and Left Sides, Black 7.5" Sq.

INSTRUMENT PANEL Flat Panel

WINDSHIELD WIPER BLADES Snow Type

ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab

WHEELS, FRONT (Accuride 29300) DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

WHEELS, REAR (Maxion 90541) DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; with Vendor Applied Gray Powder Coat Paint

PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; with Vendor Applied Gray Powder Coat Paint

WHEEL GUARDS, REAR {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels

5

- (4) TIRE, REAR 11R22.5 Load Range G HDR2 (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
- (2) TIRE, FRONT 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position

Services Section:

WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A

INTERNATIONAL"

Financial Summary 2021 HV607 SBA (HV607)

April 13, 2020

(US DOLLAR)

Description

Net Sales Price:

\$76.813.00

Price

ABOVE FIGURE IS FOR CHASSIS ONLY (Does NOT include body or mounted equipment)

ABOVE FIGURE WAS CALCULATED USING STATE CONTRACT # 19416CMS BOSS4-B-2573

CONTRACT PRICING GOOD THRU 5/31/2020

ANY ORDERS AFTER 5/31/2020 WILL INCREASE BASED ON THE STATE'S AGREED RENEWAL AMOUNT

ABOVE FIGURES DO NOT INCLUDE ANY FUTURE/POTENTIAL INCREASES FOR THE FOLLOWING: EMISSION SURCAHRGES, FREIGHT / DESTINATION FEES and RAW MATERIAL SURCHARGES

Approved by Seller:

Accepted by Purchaser:

Firm or Business Name

Authorized Signature and Date

SALES REPRESENTATIVE

04-13-2020

CITY OF DEKALB

Official Title and Date

Authorized Signature

GOVT SALES MGR

This proposal is not binding upon the seller without

Seller's Authorized Signature

City Manager 05/27/2020

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.



1385 Franklin Grove Rd Dixon, IL 61021 IUSTRIES INC 815-284-3819 * 815-284-8815 Fax TRUCK & ROAD EQUIPMENT 800-851-9664 www.bonnell.com * info@bonnell.com

Quote Number: 0141116 Quote Date: 4/14/2020



Bill To: 0000367 **RUSH TRUCK CENTER** 11816 S ROUTE 47 HUNTLEY, IL 60142

Ship To:

CITY OF DEKALB 200 S STREET DEKALB, IL 60115

Phone:

Phone: (847) 669-5700 Fax: (847) 669-2615 peasel@rushenterprises.com

Fax:

Confirm To: DAVE MUELLER

Comment:

Customer P.O.

Ship VIA

F.O.B.

Terms Net 10 Days Quote Expiration

3/28/2020

Ordered Unit Item Number **Each Price Extended Price** 1.00 EACH TRUCK PACKAGE 71,241.00 71.241.00

> APPLICATION: NEW SINGLE AXLE CAB AND CHASSIS WITH 96" CAB TO AXLE MEASUREMENT, FRONT FRAME EXTENSIONS, AUTOMATIC TRANSMISSION WITH PTO PROVISIONS, FACTORY PLOW LIGHT PLUG, FACTORY "GROUND SPEED" CONNECTION

THIS PACKAGE TO INCLUDE

- 1- DURACLASS 10' SL-316 201-2B STAINLESS STEEL DUMP BODY
- 1- CROSS MEMBERLESS
- 1 -DOUBLE ACTING UNDERBODY HOIST
- 1- CORTEN LONGSILLS
- 1-18" CAB SHIELD
- 1- 3/16" AR400 FLOOR
- 1-38" 10 GA. FRONT
- 1-28" 10 GA. SIDES
- 1-38" 10 GA. THREE PANEL TAILGATE
- 1- MANUAL TAILGATE
- 1- FABRICATED / WELDED 2 STEP LADDER--DRIVER SIDE
- 1- GREASEABLE TAILGATE LINKAGE AND HINGE POINTS
- 1- FRONT RUBBER FLAPS WITH "T" BRACES
- 1- REAR FLAPS
- 1- PAINTED TO MATCH CAB--ORANGE

CENTRAL HYDRAULIC SYSTEM

- 1- CHELSEA HOT SHIFT PTO
- 1- P20 "GEAR" HYDRAULIC PUMP,
- 1- ADD-A-STACK HYDRAULIC VALVE TO OPERATE HOIST, PLOW, PREWET, AUGER / SPINNER
- 1- "FORCE" 5100EX ELECTRIC SPREADER CONTROLLER--CLOSED LOOP
- 1- VT35 STAINLESS HYDRAULIC TANK / VALVE ENCLOSURE
- 1- HP3000 SERIES HIGH PRESSURE FILTER
- 1- STAINLESS STEEL QUICK COUPLERS
- 1- LOW OIL / HIGH TEMP AUTO SHUT OFF SYSTEM
- 1- ALL REQUIRED PLUMBING

MISC

- 1- BONNELL "NOX-RUST" UNDERCOATING
- 1- UNDER THE CAB
- 1- UNDER THE DUMP BODY
- 1- TRUCK FRAME RAILS



Quote

Quote Number: 0141116 **Quote Date:** 4/14/2020



Bill To: 0000367 RUSH TRUCK CENTER 11816 S ROUTE 47 HUNTLEY, IL 60142 Ship To: CITY OF DEKALB

200 S STREET DEKALB, IL 60115

Phone:

Phone: (847) 669-5700 Fax: (847) 669-2615 peasel@rushenterprises.com

Fax:

Confirm To: DAVE MUELLER

0011

Comment:

Terms Net 10 Days **Quote Expiration**

3/28/2020

Each Price

Customer P.O.

Ship VIA

F.O.B.

Extended Price

Ordered Unit Item Number

BONNELL CUSTOM CONSOLE

- 1- BONNELL "MORSE CONTROL LEVER" CONSOLE
- 1- MORSE CABLE CONTROLS
- 1 HOIST
- 1-PLOW LIFT
- 1- PLOW ANGLE
- 1- "FORCE" 5100EX ELECTRIC SPREADER CONTROLLER

ELECTRICAL SYSTEM:

- 1- BONNELL IGNITION ACTIVATED BATTERY DISCONNECT RELAY SYSTEM
- 1- MINI FUSE CIRCUIT PROTECTION PANEL
- 1- VCMS-SS184 DIGITAL TWELVE SWITCH WARNING LIGHT PANEL
- 1- BONNELL WIRE HARNESSES
- 1-BODY UP SWITCH/LIGHT
- 1- AUGER SENSOR WITH STAINLESS SHIELD
- 1- AUGER FEEDBACK CABLE
- 1- PREWET FEEDBACK CABLE

LIGHTING SYSTEM

- 1- ONE PAIR ABL-3830-0575 PLOW LIGHTS ON STAINLESS GRILL BRACKETS
- 1- ONE ECCO-7960A LED BEACON ON ANGLE BRACKET OFF FRONT OF CAB SHIELD
- 1- ONE PAIR ECCO-3920A AMBER FLASHERS ON CAB SHIELD FACING REAR
- 1- ONE PAIR PM-M820R-10 STT LIGHTS ON CAB SHIELD FACING REAR
- 1- ONE ECCO-3920A AMBER FLASHER IN EACH REAR POST
- 1- ONE PM-M820R-10 STT LIGHT IN EACH REAR POST
- 1- ONE PM-M192R MARKER LIGHT ON SIDE OF EACH REAR POST
- 1- ONE M20343R ICC THREE LIGHT BAR ON REAR HINGE
- 1- ONE PAIR PM-M817R-9 4" ROUND STT LIGHTS RECESSED IN REAR HITCH
- 1- ONE PM-M820C-10 LED REVERSE LIGHT RECESSED IN REAR HITCH
- 1- ONE ABL-2000-0018 LED SPINNER LIGHT
- 1- ONE VEL-697112 BACK UP ALARM
- 1- ONE "OEM"7-PIN ROUND TRAILER PLUG

REAR HITCH

- 1- BONNELL PLATE REAR HITCH
- 1- PH20 PINTLE
- 1- ONE PAIR STT LIGHTS



1385 Franklin Grove Rd Dixon, IL 61021 815-284-3819 * 815-284-8815 Fax 800-851-9664

www.bonnell.com * info@bonnell.com

Quote

Quote Number: 0141116 Quote Date: 4/14/2020



Bill To: 0000367 RUSH TRUCK CENTER 11816 S ROUTE 47 HUNTLEY, IL 60142 Ship To:

CITY OF DEKALB 200 S STREET DEKALB, IL 60115

Phone:

Phone: (847) 669-5700 Fax: (847) 669-2615 peasel@rushenterprises.com

Fax:

Confirm To: DAVE MUELLER

Comment:

Customer P.O.

Ship VIA

F.O.B.

Terms

Quote Expiration

Extended Price

Net 10 Days

3/28/2020

Each Price

Ordered Unit Item Number

1- ONE REVERSE LIGHT

- 1- ONE 7-PIN ROUND TRAILER PLUG
- 1- ONE PAIR D-RINGS
- 1- ONE TOW HOOK ON EACH SIDE OF REAR HITCH

1.00 EACH CAB SHIELD

CAB SHIELD - CUSTOM FABRICATED FOR SPECIFIED TRUCK AND BODY. CONFIGURED AS FOLLOWS:

- *MATERIAL IS TO BE 201 STAINLESS STEEL.
- *PAN WIDTH- 18".
- *WIDTH- DETERMINED.
- *HEIGHT TO BE DETERMINED TO BOTTOM OF PAN.
- *4 REAR FACING OBLONG LIGHT HOLES.
- *UNPAINTED
- *STAINLESS STEEL TO BE ELECTROCHEMICALLY CLEANED AND PASSIVATED.

1.00 EACH DUMP BODY

- -APPLICATION: SINGLE AXLE- SNOW AND ICE
- -DUMP BODY MANUFACTURER: DURACLASS-TBEI
- -MAIN BODY MATERIAL: 201 STAINLESS STEEL
- -BODY LENGTH: 10'-0"
- -UNDERSTRUCTURE: CROSSMEMBERLESS
- -HOIST TYPE: UNDER BODY HOIST
- -CYLINDER TYPE: DOUBLE ACTING
- -HEIGHT DIMENSIONS: NON-STANDARD (SEE BELOW)
- -NON STANDARD SIDE HT: 28"
- -NON STANDARD FRONT HT: 38"
- -NON STANDARD T-GATE HT: 38"
- -LONGSILLS: FORMED LONGSILLS (3/16" COR-TEN STEEL)
- -FLOOR: 1/4" (AR450 ABRASION RESISTANT STEEL)
- -SIDES: 10 GA. (201 STAINLESS STEEL)
- -SIDE PROFILE: WELDED (NO VERTICAL BRACING)
- -CORNER POST MATERIAL: 201 STAINLESS STEEL
- -FRONT: 10 GA.(201 STAINLESS STEEL)
- -TAILGATE: 3/16" (201 STAINLESS)
- -TAILGATE POSITION: VERTICAL TAILGATE
- -TAILGATE STRUCTURE: TWO HORIZONTAL BRACES
- -TAILGATE LATCH: MANUAL OPERATED TAILGATE LATCH
- -BODY TOP BE PAINTED SINGLE STAGE ONE COLOR
- -FULLY GREASABLE TAILGATE LINKAGES INCLUDING UPPER HINGE
- RIGID REAR RUBBER MUD FLAPS INSTALLED



Quote Number: 0141116 Quote Date: 4/14/2020



Bill To: 0000367 RUSH TRUCK CENTER 11816 S ROUTE 47 HUNTLEY, IL 60142

Ship To:

CITY OF DEKALB 200 S STREET DEKALB, IL 60115

Phone:

Phone: (847) 669-5700 Fax: (847) 669-2615 peasel@rushenterprises.com

F.O.B.

Fax:

Customer P.O.

Confirm To: DAVE MUELLER Ship VIA Comment:

Terms

Quote Expiration

Extended Price

Net 10 Days

3/28/2020

Each Price

Ordered Unit Item Number

- RUBBER FRONT MUD FLAPS INSTALLED
- 2 OBLONG INSTALLED IN EACH CORNER POST
- -CONDUIT FOR WIRING CAB SHIELD LIGHTS
- NEW TAILGATE SPREADER INSTALLED
- RIGID ROD LIFTING LOOOP ON TAILGATE
- -DIRT SHEDDING TAILGATE

1.00 EACH PLOW HITCH

HITCH FOR SNOW PLOW

PLOW HITCH FOR A WORKSTAR/HV SFA 2011-CURRENT

HITCH INSTALLED ON NEW TRUCK PACKAGE

TYPE OF MOUNT - HEAVY FRONT FRAME-SIDE PLATES

TYPE OF HITCH FRAME - QX HITCH (SIDE-BY-SIDE)

BASE MODEL: HFF-QX

1.00 EACH *H10400

1/2" Side Plates. (Included in Standard Price of Side Plate Hitch)

1.00 EACH *H10170

4" X 10" Double Acting Cylinder W/Nitrided Rod

EACH *H10300 1.00

IDOT Grill mounted Light Brackets

1.00 EACH *H10420

Cross Over Relief Valve Kit (Installed or Not Installed)

1.00 EACH PLOW

11RDP42TT1Q PRICE COMPLETE WITH OPTIONS 11' LONG DISTANT DISCHARGE RIGHT POLY SNOW PLOW HEIGHT IS 42" TORSION (TT)(ONE PIECE TORSION TRIP) TUBULAR REVERSING ASSEMBLY





Quote Number: 0141116 Quote Date: 4/14/2020



0000367 Bill To: **RUSH TRUCK CENTER** 11816 S ROUTE 47 HUNTLEY, IL 60142

Ship To:

CITY OF DEKALB 200 S STREET DEKALB, IL 60115

Phone:

Customer P.O.

Phone: (847) 669-5700 Fax:(847) 669-2615 peasel@rushenterprises.com

Fax:

Confirm To: DAVE MUELLER

Comment:

Terms F.O.B. Ship VIA Net 10 Days

Each Price

3/28/2020

Extended Price

Quote Expiration

Ordered	Unit	Item Number
1.00	EACH	PAINTED BLACK POLYURETHANE ENAMEL /TRIM DISCHARGE TRIM DISCHARGE END OF PLOW
1.00	EACH	*NO RG NO RUNNING GEAR REQUIRED
1.00	EACH	*P10130
		Level Raise Lift System with Lift Chains for High Country Plows (MX1 & MC1)
1.00	EACH	*P10210
		Quick attach loop (plow section installed)
1.00	EACH	*P10425
		3/8" x 12" Rubber flap kit installed
1.00	EACH	*P10431
		Flap to run up the front of the ears on a Distant Discharge snow plow
1.00	EACH	*P10465
		Plow stand - installed (to hold hook up point @ desired height when detached)
1.00	EACH	*P10470
		36" Blaze orange markers
1.00	EACH	*P10515
		1" x 8" C1084 Steel cutting edge in lieu of standard 5/8" x 6"
1.00	EACH	BON-003178L CURB SHOE - LH 1" X 8" HEAVY DUTY WRAP AROUND -1" OF CHROMIUM CARBIDE HARDFACING ACROSS BOTTOM AND ON THE SIDE



Quote

Quote Number: 0141116 Quote Date: 4/14/2020



Bill To: 0000367 RUSH TRUCK CENTER 11816 S ROUTE 47 HUNTLEY, IL 60142 Ship To:

CITY OF DEKALB 200 S STREET DEKALB, IL 60115

Phone:

Phone: (847) 669-5700 Fax: (847) 669-2615 peasel@rushenterprises.com

Fax:

Confirm To: DAVE MUELLER

Terms

Quote Expiration

Net 10 Days

3/28/2020

Customer P.O.

Ordered

Ship VIA

F.O.B.

Comment:

Each Price Extended Price

Unit Item Number

UNIVERSAL 11/16" SQUARE HOLES

1-1/2" TOP GUAGE

1.00 EACH BON-003178R

CURB SHOE-RH 1" X 8" HEAVY DUTY WRAP AROUND
-1" OF CHROMIUM CARBIDE HARDFACING ACROSS BOTTOM AND ON THE SIDE
UNIVERSAL 11/16" SQUARE HOLES
1-1/2" TOP GUAGE

1.00 EACH UT SPREADER

MODEL U696-DD-S2-24L-1 UNDER TAILGATE SPREADER

- * 6" AUGER DIAMETER, 4" PITCH
- * DIRECT DRIVE WITH A 22.8 CUBIC INCH MOTOR
- * FABRICATED OF 201 STAINLESS STEEL MATERIAL
- * SPREADER SHALL HAVE ONE DROP PORT
- * DROP PORT(S) IS 24" OFFSET FROM LEFT SIDE
- * AUGER SHALL HAVE REVERSE FLIGHTING
- * ONE SPINNER ASSEMBLY
- * SPINNER(S) ARE POWERED BY 2.8 CUBIC INCH MOTOR(S)
- * 18" POLYURETHANE SPINNER DISC
- * INCLUDES MOUNTING HARDWARE
- * MITERED CORNER SHORT STAINLESS TAILGATE SHIELDS

1.00 EACH PREWET SYSTEM

BONNELL CONFIGURED PREWET SYSTEM TYPE: BEHIND THE CAB SYSTEM HYDRAULIC LIQUID PUMP CLOSED LOOP SYSTEM SEE BELOW FOR DETAILS

1.00 EACH *BC-120P-1-200

Behind the Cab Prewet System with one 120 Gallon Poly Tank, Stainless Steel Tank Brackets, and 2" Plumbing.

1.00 EACH *L10120

Hydraulic Prewet Pump in a Stainless Enclosure to Operate a Closed Loop System. Includes an IP68 Wire Connection for Feedback Signal.


1.00 EACH *L10315



Sourcewell ...

1385 Franklin Grove Rd Dixon, IL 61021 815-284-3819 * 815-284-8815 Fax 800-851-9664 www.bonnell.com * info@bonnell.com

Quote Number: 0141116 Quote Date: 4/14/2020



RUSH TRUCK CENTER 11816 S ROUTE 47 HUNTLEY, IL 60142

Ship To:

CITY OF DEKALB 200 S STREET DEKALB, IL 60115

Phone: Fax:

Confirm To: DAVE MUELLER

Phone: (847) 669-5700 Fax: (847) 669-2615 peasel@rushenterprises.com

Customer P.O.

F.O.B.

Comment:

Terms

Quote Expiration

Net 10 Days

3/28/2020

Ordered

Unit Item Number

Each Price

Extended Price

2" Male Quick Fill Kit Installed.

Ship VIA

1.00

EACH *L10330

Two Nozzle spray kit Installed.

15% RESTOCKING FEE ON RETURNED ITEMS NO RETURN ON SPECIAL ORDER ITEMS OR ELECTRICAL ITEM	MS
SUBMITTED BY:	
0008 Matt Hazelwood	G
NOTE: ALL TAXES WILL BE EXTRA IF APPLICABLE. NOTE: PRICES ARE IN EFFECT FOR 30 DAYS ONLY. IF A PRINCREASE OCCURS - IT WILL BE ADDED. NOTE: BIDS MAY REQUIRE A 20% DEPOSIT UPON PURCHANOTE: INSTALL DATE IS BASED ON CHASSIS ARRIVAL DATA ACCEPTED BY: **BILL TO: PO Number: DATE ACCEPTED:	SE MAKI E. W.B TRAN ENGI
CHASSIS ARRIVAL DATE:	011

Net Order:	71,241.00
Less Discount:	0.00
Freight:	0.00
Sales Tax:	0.00
Quote Total:	71,241.00

VIN#	
MAKE:	
MODEL:	
W.B.	C.A.:
TRANS MODEL:	
ENGINE:	
PAINT CODE:	
**CHANGES MAY C	AUSE DELAYS AND FEES.